Amazing

NEW FLUORESCENT

LIGHTING FIXTURES

FEB 26 1941



by

MOE - BRIDGES
CORPORATION

SHEBOYGAN, WISCONSIN

MOE - BRIDGES - - - F



No. 3010/24—2 Light—24"—20 W. Lamps
No. 3010/48—2 Light—48"—40 W. Lamps
Two-Light Chain Drop
Canopy Size—4¼" x 13" x 1½"
Overall Drop—24"
Reflector—3" Depth x 8¾" Width x 25½" Length.
(No. 3010/48 is 49½" Length)





No. 3012/24—2 Light—24"—20 W. Lamps
Two-Light 4" and 6" ADAPTOR Unit
Overall Drop—4¾"
Reflector—3" Depth x 8¾" Width x 25½" Length
Note: 4" and 6" Fitters supplied with each No. 3012/24

No. 3013/48—2 Light—48"—40 W. Lamps
Two-Light 6" ADAPTOR Unit
Overall Drop—4¾"
Reflector—3" Depth x 8¾" Width x 49½" Length
Note: 6" Fitter only. supplied with each 3013/48.

No. 3111/48—4 Light—
Four-Light Stem Drop
Canopy Size—4¼" x 1
Overall Drop—36"
Reflector—4½" Depth x

Amazing New Fluorescent Fixtures
embody all of the latest improvements
Ideal for installation in stores, offices
attractively styled and efficient lightin
are particularly appropriate for reside
and recreation rooms.

These smart and modern streamlined de
Chrome Trim, employ a new feature w
illumination on the ceiling as well as



No. 3006—3 Light—24"—20 W. Lamps
No. 3008—4 Light—24"—20 W. Lamps
Canopy Size—6¼" x 17" x 2"
Overall Drop—24"
Frame Size—2¾" Depth x 12" Width x 28" Length

Beautiful modern designs, finished in
use in Dining and Living Rooms—also
unusual is desired, such as in Private
Theatre Lobbies, etc.

Top of frame is open, permitting for
thereby eliminating all glare and shad

Construction consists of a very dural
strip side panels and double strength
etched surface and sandblasted desig
metal canopy.

SEE BACK PAG

.UORESCENT FIXTURES



-40 W. Lamps

1½"

" Width x 49½" Length



No. 3011/24—2 Light—24"—20 W. Lamps
No. 3011/48—2 Light—48"—40 W. Lamps
Two-Light Stem Drop
Canopy Size—4¼" x 13" x 1½"
Overall Drop—24"
Reflector—3" Depth x 8¾" Width x 25½" Length
(No. 3011/48 is 49½" Length)



No. 3014/24—2 Light—24"—20 W. Lamps
No. 3014/48—2 Light—48"—40 W. Lamps
Two-Light Ceiling Type
Canopy Size—6" Diameter
Overall Drop—5½"
Reflector—3" Depth x 8¾" Width x 25½" Length
(No. 3014/48 is 49½" Length)

ed and manufactured by Moe-Bridges
he Fluorescent lighting field.
wrooms, or any other location where
lesired. Designs 3012/24 and 3014/24
use in kitchens, bedrooms, bathrooms,

beautifully finished in Gloss White with
ermits an even distribution of indirect
ntrated lighting on the working plane.

●

ine and Gold," especially adapted for
ine commercial installations where the
s, Ladies' Dress Shops, Beauty Parlors,

oundance of semi-indirect illumination,

st metal frame with perforated metal
glass bottom panel, which has a light
lasts are permanently installed in cast



No. 3007—3 Light—24"—20 W. Lamps
No. 3009—4 Light—24"—20 W. Lamps
Canopy Size—6¼" x 17" x 2"
Overall Drop—8½"
Frame Size—2¾" Depth x 12" Width x 28" Length

OR LIST PRICES

FLUORESCENT BRACKETS



No. 3030/18—1 Light—18"—15 W. Lamp
No. 3031/18—Ditto, but with outlet
No. 3030/24—1 · Light—24"—20 W. Lamp
One-Light bracket with streamlined ornamental end castings. Convex sides with concaved reflecting surface.
Width—3½". Extension—3½"
Length of No. 3030/18 is 24"
Length of No. 3030/24 is 30"
On-and-off canopy switch is standard equipment



No. 3020/18—1 Light—18"—15 W. Lamp
No. 3021/18—Ditto, but with outlet
No. 3020/24—1 Light—24"—20 W. Lamp
One-light plain bracket of sturdy and approved construction, with convex sides and concaved reflecting surface.
Width—3¼" Extension—3½"
On-and-off canopy switch is standard equipment



No. 3022/18—1 Light—18"—15 W. Lamp
No. 3023/18—Ditto, but with outlet
An unusual and practical one-light bracket with a stationary metal reflector to direct the light downward. Convex sides with concaved reflecting surface. Finished "Polished Chromium" with inside of reflector "Durable White."
Width 3¼". Extension 4½"
On-and-off canopy switch is standard equipment

LIST PRICES EACH

Catalog Number	L.P.F.	H.P.F.
3006	56.25	67.50
3007	52.50	63.75
3008	60.00	72.75
3009	56.25	69.00
3010/24	18.75	24.75
3010/48	33.75	36.00
3011/24	20.70	26.70

LIST PRICES EACH

Catalog Number	L.P.F.	H.P.F.
3011/48	34.20	36.45
3012/24	16.50	22.50
3013/48	31.50	33.75
3014/24	17.25	23.25
3014/48	32.25	34.50
3020/18	9.90	14.40
3020/24	11.25	15.75

LIST PRICES EACH

Catalog Number	L.P.F.	H.P.F.
3021/18	10.65	15.15
3022/18	12.75	17.25
3023/18	13.50	18.00
3030/18	12.00	16.50
3030/24	13.50	18.00
3031/18	12.75	17.25
3111/48	——	63.00

FINISHES: "Ermine and Gold" on Numbers 3006 to 3009 Inclusive.
"Gloss White and Chrome" on Numbers 3010/24 to 3014/48 Inclusive.
"Polished Chromium" on Numbers 3020/18 to 3031/18 Inclusive.
"Gloss White and Chrome" on Number 3111/48.

WIRING: All fixtures wired and assembled complete with LAMP HOLDERS, easily accessible STARTER SWITCHES, and BALLASTS for 110 Volt - 60 Cycle A. C. (Fluorescent Lamps not included.)
"L.P.F." indicates Wired with "Low Power Factor."
"H.P.F." indicates Wired with "High Power Factor."

PRICES: All prices shown are LIST—F.O.B. SHEBOYGAN, WIS., and do not include FLUORESCENT LAMPS.

EXTRA LENGTHS: Add $.30 LIST Per Foot for extra chain on Chain Drop Fixtures.
Add $.75 LIST Per Foot for extra stem on Stem Drop Fixtures.
Note: When 1 Foot of extra length is required, figure 2 Feet of Chain or 2 Feet of Stem, because each fixture has 2 suspensions.

Uunderwriters Approval: All MOE-BRIDGES Fluorescents are listed as standard by the Underwriters Laboratories, Inc. All wiring equipment used in the manufacture of MOE-BRIDGES Fluorescents is listed by the Underwriters Laboratories, Inc., as complying with the requirements of the National Electrical Code.

MOE - BRIDGES CORPORATION

1415-1425 Illinois Ave. Sheboygan, Wis.

AVERY LIBRARY COLUMBIA UNIVERSITY

Litho in U.S.A.